



WINDOW DISPLAY

HIGH TEMPERATURE & BRIGHTNESS SCREEN

CLASS	MODEL
-------	-------

55" D557MB

KEY FEATURES

- Special DOOH LCD Panel
- 2,500 nits High Brightness
- 178° Wide Viewing Angle
- Auto Brightness Sensor Control
- Time On/Off Setting
- Remote Control (RS232)
- Built in Video wall function



Broadcast your branding with HYUNDAI Digital Signage!

According to the advanced product design, Hyundai Digital Signage Display meets necessary requirements for various digital signage solutions. Hyundai Digital Signage can be installed in any format such as portrait, landscape, single, multi and built-in delivering clear and bright images.



SPECIFICATIONS

Model		D557MB
Panel	Screen Size (diagonal)	55"
	Active Display Area (inch mm)	47.62 x 26.79 1209.6 x 680.4
	Resolution	1920 x 1080
	Aspect Ratio	16:9
	Display Colors	16.7M
	Brightness (cd/m ² ; typ.)	2500
	Contrast Ratio	5000:1
	Response Time (ms; GTG)	8
	Viewing Angle	178°/178°
	Lifetime (hours)	50,000
Backlight type	LED	
Resolution	Monitor	1920 x 1080
	DTV	1080p
Input		DP(Optional) HDMI DVI VGA(D-Sub) Component(BNC) Video/Audio Composite(BNC) Video / Audio PC Audio RS232C IR RJ45(Optional)
Output		DVI Component(BNC) Video / Audio Composite(BNC) Video / Audio RS232C IR Audio Line Out Speaker (ready) RJ45(Optional)
Power	Input Voltage	100 – 240V AC
	Power consumption	430 W
Features	Auto Cooling System	Yes
	Auto Power Control (DPMS)	Yes
	Tempered Glass	No
	Anti Reflection Coating	No
	Touch Screen	No
Auto Brightness Sensor	Yes	
Operation	Temperature (°C)	0 - 40
	Humidity (%)	20 - 80
	OSD Language	10 Lang
Dimension	Set (W x H x D), inch/mm	48.425 x 27.7 x 4.33 1230 x 703.6 x 110
Bezel Size (U/D/L/R), inch mm		0.44 / 0.44 / 0.38 / 0.38 11.1 / 11.1 / 9.7 / 9.7
Wall Mounting (WxH), mm		600 x 400 (M8)
Weight	Set (lb/kg)	66.14 30

FEATURES

Special Out-Of-Home LCD Panel

By using commercial grade LCD panels for Out-Of-Home applications, the HYUNDAI Digital Signage display can provide a higher brightness and contrast than standard LCD TV panels. Our LCD panel enables to operate for longer working time, deliver clear and bright image contents in the portrait or landscape format without any loss of quality.

High Brightness & Contrast

Achieving a brightness up to 2,500 cd/m² and working with a smart dynamic contrast technology, the special Out-Of-Home panels ensure bright and sharp pictures with a facsimile depth, even in bright enlightened environments.

High-Temperature Panel

High-Tni(110 °C) Liquid Crystal is applied to prevent the black blotch issue.

DIMENSIONS

[UNIT : mm[inch]]

